


Pipe Specifications

| NOMINAL BORE | OUTSIDE DIAMETER | GAUGE - WALL THICKNESS | | |
|---------------|-------------------|------------------------|----------------|-------------|
| | | EXTRA LIGHT - XL | GAL LIGHT - GL | MEDIUM - MD |
| 20mm (3/4") | 26.9mm (1 1/16") | 2.0mm | 2.3mm | 2.6mm |
| 25mm (1") | 33.7mm (1 11/32") | 2.0mm | 2.6mm | 3.2mm |
| 32mm (1 1/4") | 42.4mm (1 11/16") | 2.0mm | 2.6mm | 3.2mm |
| 40mm (1 1/2") | 48.3mm (1 29/32") | 2.3mm | 2.9mm | 3.2mm |
| 50mm (2") | 60.3mm (2 3/8") | 2.3mm | 2.9mm | 3.6mm |
| 80mm (3") | 88.9mm (3 1/2") | 2.9mm | 3.2mm | 4.0mm |
| 100mm (4") | 114.3mm (4 1/2") | - | 4.5mm | - |

Security Post Dimensions



Security Fencing Guide - 1800mm High Chainwire Fence with 3 Rows Barbed Wire

| CODE | DESCRIPTION | PIPE | LENGTH | GAUGE | STOCK |
|--|---------------|------|--------|-----------|-------|
| INTERMEDIATE POSTS - 3 x POST INDENTS FOR BARBED WIRE | | | | | |
| PST SX 32NB 3B 3000 | STRAIGHT | 32NB | 3000mm | XL | YES |
| PST SL 32NB 3B 3000 | STRAIGHT | 32NB | 3000mm | GL | YES |
| PST BX 32NB 3B 3000 | CRANKED (45°) | 32NB | 3000mm | XL | YES |
| PST BL 32NB 3B 3000 | CRANKED (45°) | 32NB | 3000mm | GL | NO |
| PST SX 32NB 3B 3250 | STRAIGHT | 32NB | 3250mm | XL | NO |
| PST SL 32NB 3B 3250 | STRAIGHT | 32NB | 3250mm | GL | NO |
| PST BX 32NB 3B 3250 | CRANKED (45°) | 32NB | 3250mm | XL | NO |
| PST BL 32NB 3B 3250 | CRANKED (45°) | 32NB | 3250mm | GL | NO |
| PST SL 40NB 3B 3250 | STRAIGHT | 40NB | 3250mm | GL | NO |
| PST BL 40NB 3B 3250 | CRANKED (45°) | 40NB | 3250mm | GL | NO |

CORNER POSTS - 3 x POST INDENTS FOR BARBED WIRE

| | | | | | |
|---------------------|---------------|------|--------|-----------|-----|
| PST SX 50NB 3B 3250 | STRAIGHT | 50NB | 3250mm | XL | YES |
| PST SL 50NB 3B 3250 | STRAIGHT | 50NB | 3250mm | GL | NO |
| PST BX 50NB 3B 3250 | CRANKED (55°) | 50NB | 3250mm | XL | YES |
| PST BL 50NB 3B 3250 | CRANKED (55°) | 50NB | 3250mm | GL | YES |

GATE POSTS - 3 x POST INDENTS FOR BARBED WIRE

| | | | | | |
|----------------------|-------------------|----------|--------|-----------|-----|
| PST SX 50NB 3B 3250 | STRAIGHT | 50NB | 3250mm | XL | YES |
| PST SL 50NB 3B 3250 | STRAIGHT | 50NB | 3250mm | GL | NO |
| PST BX 50NB 3B 3250 | CRANKED (45°) | 50NB | 3250mm | XL | YES |
| PST BL 50NB 3B 3250 | CRANKED (45°) | 50NB | 3250mm | GL | NO |
| PST SL 80NB 3B 3250 | STRAIGHT | 80NB | 3250mm | GL | YES |
| PST BM 50NB 3B 3250 | CRANKED (45°) | 80NB | 3250mm | GL | NO |
| PST SM 100NB 3B 3250 | STRAIGHT | 100NB | 3250mm | MD | NO |
| PST SL2X 80 3B 3250 | STRAIGHT - TWIN | 2 x 80NB | 3250mm | GL | YES |
| PST SL3X 80 3B 3250 | STRAIGHT - TRIPLE | 3 x 80NB | 3250mm | GL | YES |

STAYS

| | | | | | |
|--------------------|------------------|------|--------|----|-----|
| STY XL 32NB 3250 | STRAIGHT | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STRAIGHT | 32NB | 3600mm | XL | YES |
| STY XL 25NB 2130 B | BACK STAY - BENT | 25NB | 2130mm | XL | NO |

**NON STANDARD POSTS & STAYS CAN BE
SUPPLIED TO CUSTOMER REQUIREMENTS - POA**

Domestic Fencing Guide

| CODE | DESCRIPTION | PIPE | LENGTH | GAUGE | STOCK |
|------------------------------------|-------------------|-------|--------|-----------|-------|
| 900mm HIGH CHAINWIRE FENCE | | | | | |
| PST SX 32NB OB 1500 | INTERMEDIATE POST | 32NB | 1500mm | XL | NO |
| PST SL 32NB OB 1500 | INTERMEDIATE POST | 32NB | 1500mm | GL | NO |
| PST SX 50NB OB 1600 | CORNER POST | 50NB | 1600mm | XL | NO |
| PST SL 50NB OB 1600 | CORNER POST | 50NB | 1600mm | GL | NO |
| PST SX 50NB OB 1600 | GATE POST | 50NB | 1600mm | XL | NO |
| PST SL 50NB OB 1600 | GATE POST | 50NB | 1600mm | GL | NO |
| STY XL 32NB 3250 | STAY | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STAY | 32NB | 3600mm | XL | NO |
| 1200mm HIGH CHAINWIRE FENCE | | | | | |
| PST SX 32NB OB 1830 | INTERMEDIATE POST | 32NB | 1830mm | XL | NO |
| PST SL 32NB OB 1830 | INTERMEDIATE POST | 32NB | 1830mm | GL | NO |
| PST SX 50NB OB 1980 | CORNER POST | 50NB | 1980mm | XL | NO |
| PST SL 50NB OB 1980 | CORNER POST | 50NB | 1980mm | GL | NO |
| PST SX 50NB OB 1980 | GATE POST | 50NB | 1980mm | XL | NO |
| PST SL 50NB OB 1980 | GATE POST | 50NB | 1980mm | GL | NO |
| STY XL 32NB 3250 | STAY | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STAY | 32NB | 3600mm | XL | NO |
| 1500mm HIGH CHAINWIRE FENCE | | | | | |
| PST SX 32NB OB 2130 | INTERMEDIATE POST | 32NB | 2130mm | XL | NO |
| PST SL 32NB OB 2130 | INTERMEDIATE POST | 32NB | 2130mm | GL | NO |
| PST SX 50NB OB 2300 | CORNER POST | 50NB | 2300mm | XL | NO |
| PST SL 50NB OB 2300 | CORNER POST | 50NB | 2300mm | GL | NO |
| PST SX 50NB OB 2300 | GATE POST | 50NB | 2300mm | XL | NO |
| PST SL 50NB OB 2300 | GATE POST | 50NB | 2300mm | GL | NO |
| STY XL 32NB 3250 | STAY | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STAY | 32NB | 3600mm | XL | NO |
| 1800mm HIGH CHAINWIRE FENCE | | | | | |
| PST SX 32NB OB 2400 | INTERMEDIATE POST | 32NB | 2400mm | XL | YES |
| PST SL 32NB OB 2400 | INTERMEDIATE POST | 32NB | 2400mm | GL | YES |
| PST SL 40NB OB 2400 | INTERMEDIATE POST | 40NB | 2400mm | GL | NO |
| PST SX 50NB OB 2600 | CORNER POST | 50NB | 2600mm | XL | YES |
| PST SL 50NB OB 2600 | CORNER POST | 50NB | 2600mm | GL | NO |
| PST SX 80NB OB 2600 | GATE POST | 80NB | 2600mm | XL | YES |
| PST SL 80NB OB 2600 | GATE POST | 80NB | 2600mm | GL | NO |
| PST SM 100NB OB 2600 | GATE POST | 100NB | 2600mm | MD | NO |
| STY XL 32NB 3250 | STAY | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STAY | 32NB | 3600mm | XL | YES |
| STY XL 25NB 2130 B | BACK STAY - BENT | 25NB | 2130mm | XL | NO |
| 2100mm HIGH CHAINWIRE FENCE | | | | | |
| PST SX 32NB OB 2700 | INTERMEDIATE POST | 32NB | 2700mm | XL | NO |
| PST SL 32NB OB 2700 | INTERMEDIATE POST | 32NB | 2700mm | GL | NO |
| PST SX 50NB OB 3000 | CORNER POST | 50NB | 3000mm | XL | YES |

CONTINUED NEXT PAGE

Domestic Fencing Guide - cont.

| CODE | DESCRIPTION | PIPE | LENGTH | GAUGE | STOCK |
|----------------------|------------------|-------|--------|-----------|-------|
| PST SL 50NB OB 3000 | CORNER POST | 50NB | 3000mm | GL | NO |
| PST SX 80NB OB 3000 | GATE POST | 80NB | 3000mm | XL | YES |
| PST SL 80NB OB 3000 | GATE POST | 80NB | 3000mm | GL | NO |
| PST SM 100NB OB 3000 | GATE POST | 100NB | 3000mm | MD | NO |
| STY XL 32NB 3250 | STAY | 32NB | 3250mm | XL | NO |
| STY XL 32NB 3600 | STAY | 32NB | 3600mm | XL | YES |
| STY XL 25NB 2130 B | BACK STAY - BENT | 25NB | 2130mm | XL | NO |

Tennis Court Guide

| CODE | DESCRIPTION | PIPE | LENGTH | GAUGE | STOCK |
|------------------------------------|-------------------|------|--------|-----------|-------|
| 3000mm HIGH CHAINWIRE COURT | | | | | |
| PST SX 40NB OB 3600 | INTERMEDIATE POST | 40NB | 3600mm | XL | NO |
| PST SL 40NB OB 3600 | INTERMEDIATE POST | 40NB | 3600mm | GL | NO |
| PST SX 40NB OB 1800 | INTERMEDIATE POST | 40NB | 1800mm | XL | NO |
| PST SL 40NB OB 1800 | INTERMEDIATE POST | 40NB | 1800mm | GL | NO |
| PST SL 80NB OB 3900 | CORNER POST | 80NB | 3900mm | GL | NO |
| PIPE 32NB 65 XL | RAIL | 32NB | 6500mm | XL | YES |
| PIPSS BEND 32NB GL | RAIL 'S' BEND | 32NB | 7200mm | GL | NO |
| STY XL 40NB 4800 | CORNER STAY | 40NB | 4800mm | XL | YES |
| STY GL 40NB 4800 | CORNER STAY | 40NB | 4800mm | GL | YES |
| TCGS 40GLPE 3600 | GATE SURROUND | 40NB | 3600mm | GL | YES |
| PST SGL 80NB 1980 | NET POST X 2 | 80NB | 1980mm | GL | NO |
| PST 90NB 795 | NET POST SOCKET | 90NB | 795mm | GL | NO |

3600mm HIGH CHAINWIRE COURT

| | | | | | |
|---------------------|-------------------|------|--------|-----------|-----|
| PST SX 40NB OB 4420 | INTERMEDIATE POST | 40NB | 4420mm | XL | NO |
| PST SL 40NB OB 4420 | INTERMEDIATE POST | 40NB | 4420mm | GL | NO |
| PST SX 40NB OB 1800 | INTERMEDIATE POST | 40NB | 1800mm | XL | NO |
| PST SL 40NB OB 1800 | INTERMEDIATE POST | 40NB | 1800mm | GL | NO |
| PST SX 80NB OB 4500 | CORNER POST | 80NB | 4500mm | XL | NO |
| PIPE 32NB 65 XL | RAIL | 32NB | 6500mm | XL | YES |
| PIPE S BEND 32NB GL | RAIL 'S' BEND | 32NB | 7200mm | GL | NO |
| STY XL 40NB 5300 | CORNER STAY | 40NB | 5300mm | XL | YES |
| TCGS 40GLPE 3600 | GATE SURROUND | 40NB | 3600mm | GL | YES |
| PST SGL 80NB 1980 | NET POST X 2 | 80NB | 1980mm | GL | NO |
| PST 90NB 795 | NET POST SOCKET | 90NB | 795mm | GL | NO |

Cricket Net Guide - 3000mm High Chainwire Net

| CODE | DESCRIPTION | PIPE | LENGTH | GAUGE | STOCK |
|---------------------|--------------|------|--------|-----------|-------|
| PST SX 40NB OB 3600 | INTERMEDIATE | 40NB | 3600mm | XL | NO |
| PST SL 40NB OB 3600 | INTERMEDIATE | 40NB | 3600mm | GL | NO |
| PST SL 50NB OB 3900 | CORNER POST | 50NB | 3900mm | GL | NO |
| PST SL 80NB OB 3900 | CORNER POST | 80NB | 3900mm | GL | NO |
| PIPE 32NB 65 XL | RAIL | 32NB | 6500mm | XL | YES |
| PIPE 32NB 65 GLPE | RAIL | 32NB | 6500mm | GL | YES |

Straight Posts

| CODE | PIPE | LENGTH | GAUGE | STOCK |
|----------------------|-------|--------|-------|-------|
| EXTRA LIGHT | | | | |
| PST SX 32NB OB 1500 | 32NB | 1500mm | XL | NO |
| PST SX 32NB OB 1830 | 32NB | 1830mm | XL | NO |
| PST SX 32NB OB 2130 | 32NB | 2130mm | XL | NO |
| PST SX 32NB OB 2400 | 32NB | 2400mm | XL | YES |
| PST SX 32NB OB 2700 | 32NB | 2700mm | XL | NO |
| PST SX 32NB OB 3000 | 32NB | 3000mm | XL | NO |
| PST SX 40NB OB 1500 | 40NB | 1500mm | XL | NO |
| PST SX 40NB OB 1800 | 40NB | 1800mm | XL | NO |
| PST SX 40NB OB 3600 | 40NB | 3600mm | XL | NO |
| PST SX 40NB OB 4420 | 40NB | 4420mm | XL | NO |
| PST SX 50NB OB 1600 | 50NB | 1600mm | XL | NO |
| PST SX 50NB OB 1980 | 50NB | 1980mm | XL | NO |
| PST SX 50NB OB 2300 | 50NB | 2300mm | XL | NO |
| PST SX 50NB OB 2600 | 50NB | 2600mm | XL | YES |
| PST SX 50NB OB 3000 | 50NB | 3000mm | XL | NO |
| PST SX 80NB OB 1600 | 80NB | 1600mm | XL | NO |
| PST SX 80NB OB 1980 | 80NB | 1980mm | XL | NO |
| PST SX 80NB OB 2600 | 80NB | 2600mm | XL | YES |
| PST SX 80NB OB 3900 | 80NB | 3900mm | XL | NO |
| PST SX 80NB OB 4500 | 80NB | 4500mm | XL | NO |
| GAL LIGHT | | | | |
| PST SL 32NB OB 1500 | 32NB | 1500mm | GL | NO |
| PST SL 32NB OB 1830 | 32NB | 1830mm | GL | NO |
| PST SL 32NB OB 2130 | 32NB | 2130mm | GL | NO |
| PST SL 32NB OB 2400 | 32NB | 2400mm | GL | NO |
| PST SL 40NB OB 1800 | 40NB | 1800mm | GL | NO |
| PST SL 40NB OB 2400 | 40NB | 2400mm | GL | NO |
| PST SL 40NB OB 3600 | 40NB | 3600mm | GL | NO |
| PST SL 40NB OB 4420 | 40NB | 4420mm | GL | NO |
| PST SL 50NB OB 1600 | 50NB | 1600mm | GL | NO |
| PST SL 50NB OB 1980 | 50NB | 1980mm | GL | NO |
| PST SL 50NB OB 2300 | 50NB | 2300mm | GL | NO |
| PST SL 50NB OB 2600 | 50NB | 2600mm | GL | NO |
| PST SL 50NB OB 3900 | 50NB | 3900mm | GL | NO |
| PST SL 50NB OB 4500 | 50NB | 4500mm | GL | NO |
| PST SL 80NB OB 2600 | 80NB | 2600mm | GL | NO |
| PST SL 80NB OB 3900 | 80NB | 3900mm | GL | NO |
| PST SL 80NB OB 4500 | 80NB | 4500mm | GL | NO |
| MEDIUM | | | | |
| PST SM 100NB OB 2600 | 100NB | 2600mm | MD | NO |

**NON STANDARD POSTS & STAYS CAN BE
SUPPLIED TO CUSTOMER REQUIREMENTS - POA**

Pipe - Stock Lengths

| CODE | PIPE | LENGTH | GAUGE | KG EACH | SLING QTY | SLING KG | STOCK |
|--------------------------------|------|--------|------------------|----------|-----------|----------|-------|
| EXTRA LIGHT - GREEN END | | | | | | | |
| PIPE 25NB 65 XL | 25NB | 6500mm | EXTRA LIGHT (XL) | 10.20Kg | 91 | 982Kg | YES |
| PIPE 25NB 72 XL | 25NB | 7200mm | EXTRA LIGHT (XL) | 11.80Kg | 91 | 1073Kg | YES |
| PIPE 32NB 60 XL | 32NB | 6000mm | EXTRA LIGHT (XL) | 12.72Kg | 61 | 777Kg | YES |
| PIPE 32NB 65 XL | 32NB | 6500mm | EXTRA LIGHT (XL) | 13.78Kg | 61 | 841Kg | YES |
| PIPE 32NB 72 XL | 32NB | 7200mm | EXTRA LIGHT (XL) | 15.48Kg | 61 | 945Kg | YES |
| PIPE 40NB 60 XL | 40NB | 6000mm | EXTRA LIGHT (XL) | 16.37 Kg | 61 | 998Kg | YES |
| PIPE 40NB 65 XL | 40NB | 6500mm | EXTRA LIGHT (XL) | 17.85Kg | 61 | 1091Kg | YES |
| PIPE 40NB 72 XL | 40NB | 7200mm | EXTRA LIGHT (XL) | 19.65Kg | 61 | 1198Kg | YES |
| PIPE 50NB 60 XL | 50NB | 6000mm | EXTRA LIGHT (XL) | 20.64Kg | 37 | 763Kg | YES |
| PIPE 50NB 65 XL | 50NB | 6500mm | EXTRA LIGHT (XL) | 22.56Kg | 37 | 935Kg | YES |
| PIPE 50NB 72 XL | 50NB | 7200mm | EXTRA LIGHT (XL) | 24.76 Kg | 37 | 916Kg | YES |
| PIPE 80NB 65 XL | 80NB | 6500mm | EXTRA LIGHT (XL) | 37.38Kg | 19 | 710Kg | YES |

GAL LIGHT - YELLOW END

| | | | | | | | |
|-------------------|------|--------|-----------|---------|----|--------|-----|
| PIPE 25NB 65 GLPE | 25NB | 6500mm | GLPE (GL) | 13.59Kg | 91 | 1237Kg | YES |
| PIPE 32NB 60 GLPE | 32NB | 6000mm | GLPE (GL) | 16.02Kg | 61 | 978Kg | YES |
| PIPE 32NB 65 GLPE | 32NB | 6500mm | GLPE (GL) | 17.36Kg | 61 | 1059Kg | YES |
| PIPE 40NB 65 GLPE | 40NB | 6500mm | GLPE (GL) | 22.04Kg | 61 | 1345Kg | YES |
| PIPE 50NB 65 GLPE | 50NB | 6500mm | GLPE (GL) | 27.82Kg | 37 | 1030Kg | YES |
| PIPE 80NB 65 GPLE | 80NB | 6500mm | GLPE (GL) | 45.63Kg | 19 | 867Kg | YES |

MEDIUM - BLUE END

| | | | | | | | |
|--------------------|-------|--------|-----------|--------|----|--------|-----|
| PIPE 25NB 65 GMPE | 25NB | 6500mm | GMPE (MD) | 16.4Kg | 91 | 1487Kg | YES |
| PIPE 32NB 65 GMPE | 32NB | 6500mm | GMPE (MD) | 21.0Kg | 61 | 1277Kg | YES |
| PIPE 40NB 65 GMPE | 40NB | 6500mm | GMPE (MD) | 24.1Kg | 61 | 1467Kg | YES |
| PIPE 50NB 65 GMPE | 50NB | 6500mm | GMPE (MD) | 33.9Kg | 37 | 1253Kg | YES |
| PIPE 80NB 65 GMPE | 80NB | 6500mm | GMPE (MD) | 56.1Kg | 19 | 1065Kg | YES |
| PIPE 100NB 65 GMPE | 100NB | 6500mm | GMPE (MD) | 81.1Kg | 19 | 1544Kg | YES |